

Steroid Speed Belt™ (Patent Pending)

This fully padded 3.5" waist belt allows you to "Rotate or Lock" Modulus System components for even weight distribution HALF WAY around the belt on special rails. Especially designed for use with lots of gear and the Pixel Racing Harness (shown below).

Features:

- 3.5" curved padded waistbelt with extra support can be used with all Modulus System components.
- Modulus components can rotate half way around the belt, or they can be locked in position with the plastic tab inserted into the webbing loops on the belt (patent pending).
- Rotating the components to the front of the body enhances your ability to change lenses, accessories, and more.
- For extra support, the Pixel Racing Harness can be attached to the waistbelt to distribute weight onto the shoulders.
- Waistbelt has EVA padding fully wrapped around the webbing for extra hip comfort.
- Using the plastic buckles, the belt can be fixed in one position.
- Modulus System components such as the Whip it Out, Speed Changer, Lens Changers, Chimp Cage, and more can all be used with the Steroid Speed Belt.

Compatible With: Modulus components can be attached to the belt.

Please read - important information on belt sizes:

It is **VERY IMPORTANT** to measure your actual waist size with a tape measurer where you would wear the belt over your clothes. Compare your measured waist size with the lengths listed below.

Your pants size is **NOT** an accurate measurement of your waist. Men's pant sizes tend to be 2-5" smaller than your actual waist. Some women prefer to wear their belt lower on their hips, for comfort. So it is very important to measure your waist/hips where you think the belt will be located.

Dimensions:

Small: 27" – 32" (69 – 81 cm)

Medium: 32" – 36" (81 - 91 cm)

Large: 35" – 41" (89 – 104 cm)

Extra Large: 41" – 64" (104 – 162 cm)



Shown attached to the Pixel Racing Harness (sold separately).

See following pages for instructions

Steroid Speed Belt™ Instructions


The Steroid Speed Belt is a heavier, more supportive belt than our lighter-weight Pro Speed Belt. This belt has a special "rail" which allows the Modulus components to be attached and "Rotate or Lock" halfway around the belt. It is also specifically designed to be used with our Pixel Racing Harness for more support. The Pixel Racing Harness (shown below) is sold separately.



Modulus components can be attached to the rail on either side of the belt.



The Modulus components can slide halfway around the belt for easier access to your gear and for more comfort.



While wearing the belt, you can position a bag like the Speed Changer (pictured) directly over the front attachment buckle.

Steroid Speed Belt™ Instructions



If you would like the Modulus component to SLIDE along the rail, put the plastic tongue BEHIND the rail. If you would like the Modulus component to be LOCKED, put the plastic tongue through the webbing slot on the front of the rail.



To attach the front of the Pixel Racing Harness to the Steroid Speed Belt, simply put the buckle through the D ring and reconnect the buckle.



To attach the Pixel Racing Harness to the rear of the Steroid Speed Belt, unthread the webbing and put it through the plastic loop located at the top of the belt.